



# Long Term Development Statement

PART ONE – South West

November 2025

**Electricity  
Distribution**

**nationalgrid**

Although all reasonable efforts have been made to ensure the accuracy of data provided in this Statement, National Grid Electricity Distribution (South West) plc (here after referred to as 'NGED') does not accept any liability for the accuracy of the information contained herein and, in particular neither NGED nor its directors or employees shall be under any liability for any error or misstatement or opinion on which the recipient of this Statement relies or seeks to rely.

No part of this Statement may be reproduced, transmitted or further distributed in any form or any means electronic, mechanical, photocopying, recording or otherwise for any purpose other than with the written permission of NGED.

Use of the electronic Statements and its associated data files are at the user's risk. NGED does not accept liability for any damage to the user's computer or software arising from the use or misuse of the Statement and its contents.

## Company Profile

NGED is an electricity Distribution Network Operator (DNO). We are responsible for the network of engineering assets that allows the distribution of electricity to customer's premises from the National Grid.

NGED employs over 6,500 staff across four Distribution Areas to distribute electricity from National Grid supply points to the distribution network areas of the East Midlands, the West Midlands, the South West of England and South Wales.

As a distribution business we own the distribution system assets including 230,000km of network and 191,000 transformers plus associated switchgear.

We are responsible for:

- Maintaining the electricity network on a daily basis
- Repairing the electricity network when faults occur
- Reinforcing the electricity network to cope with changes in the pattern of demand
- Extending the network to connect new customers

NGED is not involved in either the buying or selling of electricity to end use customers, as this is the responsibility of electricity supply companies. For a list of supply companies please visit [www.ofgem.gov.uk](http://www.ofgem.gov.uk). NGED provides the electrical network to distribute electricity to these customers.

## This statement covers the NGED network in the South West

NGED delivers electricity to 1.6 million customers over a 14,400 sq. km service area in South West England.

The area in which we distribute electricity extends from Bristol and Bath in the northeast, along the peninsula to Land's End some 300km to the southwest, and also includes the Isles of Scilly. The area is largely rural but includes the cities and towns of Bath, Bristol, Exeter, Plymouth, Taunton, Torquay and Weston-Super-Mare as well as many other coastal resorts.

There is a wide spread of industrial and commercial activities within the area. Tourism and farming are also important to local communities. Business activity is generally concentrated on the population centres, in particular the northeast of the area, around Bristol and Bath. In contrast to the major cities, we are also responsible for some of the most sparsely populated areas in the UK, including Dartmoor and Exmoor National Parks.

Approximately 45% of our customers in South West England reside in our northern region, which is served by engineering depots in Bristol, Bath, Weston-Super-Mare and Taunton.

The southern region is predominately rural in nature, has slightly more customers than our Northern Region and a higher proportion of overhead network with relatively long 11 kV circuit length. It covers all of Devon and Cornwall and depots are located at Exeter, Torquay, Barnstaple, Plymouth, Bodmin, and Redruth.

## Contents

1.	Summary / Introduction	4
2.	Purpose of the Statement	4
3.	Contents of the Statement	5
4.	Contact details for further information	6
4.1.	General	6
4.2.	Additional network data	6
4.3.	New or existing connections	6
4.4.	Use of system agreements	6
4.5.	Equipment specifications	7
4.6.	Other contacts	7
5.	Attachments	8
5.1.	Attachment 1 – Standard Network Information Price List	8
5.1.1.	Geographic maps	8
5.1.2.	Network data	8
5.1.3.	Plant data	8
5.1.4.	Feasibility studies – illustrative costs	9
5.1.5.	Application Assessment and Design – Illustrative Costs	12
5.2.	Attachment 2 – Other Related Information Sources	14
5.2.1.	Useful documents and contacts	14
5.2.2.	Contact details for other interconnecting networks	17
5.3.	Attachment 5 – Geographic Network Diagrams	17

## 1. Summary / Introduction

The Long Term Development Statement is present in two parts:

- Part 1 - The Introductory Section
- Part 2 - Detailed Information
  - Summary Information
  - Detailed Proposals
  - Development Proposals
  - LTDS in Common Information Model EQ Profiles

The Introductory section (Part 1) is published on the Licensee's website free of charge and without the need for registration. It provides an overview of the distribution network of an area licensed under the Electricity Act 1989. The Introductory Section also describes the detailed information contained in Part 2. Part 1 of the Statement contains sufficient information to enable any person to understand the scope of the information contained within the full Statement and to assess whether it would be of use to them.

**Access to the full Statement (Parts 1 and 2) is also available free of charge from the Licensee's website following the registration of user details.**

[Apply for access to full statement](#)

The Statement and its accompanying data is refreshed annually and published by the end of November each year. In addition to the November publication, the Statement is supplemented with a revision of Part 2 of the Statement, to update the Licensee's firm development proposals and generation data. The update is available at the end of May each year to registered users.

## 2. Purpose of the Statement

This Statement has been compiled in accordance with Licence Condition 25, to assist existing and future users of NGED's network in identifying and assessing opportunities available to them for making new or additional use of our Distribution System. It also gives contact details for specific enquiries.

The purposes of License Condition 25 are:

- (a) To secure the provision of information by the licensee which will assist any person who contemplates entering into distribution arrangements with the licensee to identify and evaluate the opportunities for doing so; and
- (b) To ensure the general availability of such information in the public domain.

### 3. Contents of the Statement

The statement contains data on the 132 kV and 33 kV systems and the transformation level to 11 kV. This statement may become outdated, so please contact NGED directly for the latest information. Due to the volume of data and speed with which it can become outdated, data on the 11 kV and LV systems has not been included in the statement. Data on the 11 kV and LV systems is available on request. A price list for the provision of this data is included in [Attachment 1](#).

The statement also provides high-level information on the design and operation of all voltage levels of the NGED distribution network.

The detailed information section, in Part 2 of this statement, contains information/data on the following:

- Geographic plans showing NGED's 132 kV and 33 kV systems including the National Grid Transmission System within our geographic area of operation.
- Schematic diagrams detailing normal operating configurations of the distribution network
- Circuit data
- Transformer data
- Load information
- Fault level information
- Connected generators with a capacity greater than 1 MW

The Network Development Proposals section includes planned major developments to the system at 132 kV, 66 kV or 33 kV that have financial authorisation to proceed and that are expected to change system capability after project completion. Details are provided for the:

- Area of the network affected
- Work that is intended to be carried out
- Impact on the distribution network
- Expected timescale

This section excludes like for like replacements (which will not change system capability) and changes to the system caused by a new user or by an existing user where they have yet to agree terms for connection.

The Network Development Proposals section also includes:

- A high-level summary of the interest in defined parts of the distribution network
- Summary details of design policies and practices to assist a user to assess the potential future development of the distribution network.

This LTDS also includes the expanded format that encompasses the Common Information Model (CIM). Before using the new LTDS in CIM model, we encourage users to familiarise themselves with the LTDS in CIM user notes found in the Zip file called 'South West CIM files November 25'. This is the first part of a staged approach to producing the LTDS in CIM format, and as such does not yet hold all the data that is in the LTDS. Details can be found in the LTDS in CIM user notes.

If you wish to view or download information from Part 2 of this statement, then you will need to apply for full access. [Apply For Access to Full Statement](#).

The overall historic and future peak demand on the Distribution System is provided in Part 2 of this statement. It shows the winter peak and summer minimum daily demand curves for NGED and the annual load duration curve.

Information on the commercial terms for connecting to and using our network are contained in our Condition 5 Statements. These statements also give information on competition in connections. Technical requirements are detailed in our Distribution Code. Details of how to obtain these documents and useful contacts are shown in [Attachment 2](#).

## 4. Contact details for further information

### 4.1. General

For requests relating to the full statement, to provide feedback on any aspect of the statement, or to make a request for further information / clarity relating to the statement, please contact:

Long Term Development Statement Enquiries  
Asset Management  
National Grid Electricity Distribution  
Avonbank  
Feeder Road  
Bristol  
BS2 0TB  
Email: [nged.ltds@nationalgrid.co.uk](mailto:nged.ltds@nationalgrid.co.uk)

### 4.2. Additional network data

To request network data in addition to that contained in the statement, please email [nged.data@nationalgrid.co.uk](mailto:nged.data@nationalgrid.co.uk).

### 4.3. New or existing connections

Enquiries relating to new or existing connections should be address to:

Records Team  
National Grid Electricity Distribution  
Lostwithiel Road  
Bodmin  
PL31 1DE  
Tel: 0120 889 2288  
Email: [nged.newsupplies@nationalgrid.co.uk](mailto:nged.newsupplies@nationalgrid.co.uk)

Further information relating to New Connections within NGED can be found via the following link:

<https://connections.nationalgrid.co.uk/get-connected>

### 4.4. Use of system agreements

Before an Authorised Electricity Operator can use the network to supply connected customers, they need to enter into a Use of System Agreement. Copies of our Use of System Agreement are available from:

Kester Jones  
Head of Connections  
National Grid Electricity Distribution  
Herald Way, Pegasus Business Park  
Castle Donington  
DE74 2TU  
Email: [nged.ltds@nationalgrid.co.uk](mailto:nged.ltds@nationalgrid.co.uk)

## 4.5. Equipment specifications

Users who require more information on the specifications used for equipment which forms part of the distribution network should contact:

Carl Ketley-Lowe  
Engineering Policy Manager  
National Grid Electricity Distribution  
Toll End Road  
Tipton  
DY4 0HH  
Email: [nged.ltds@nationalgrid.co.uk](mailto:nged.ltds@nationalgrid.co.uk)

## 4.6. Other contacts

New Guaranteed Standards of Performance for connections work began operation on 1st April 2015. These are set out in the Electricity (Standards of Performance) Regulations 2015 and the Electricity (Connection Standards of Performance) Regulations 2015. More information is also available from the [NGED website](#).

The Energy Networks Association (ENA) also provide several Distributed Generation Connection Guides these are available from the [ENA Website](#).

Other related information sources can be found in [Attachment 2](#).



## 5. Attachments

### 5.1. Attachment 1 – Standard Network Information Price List

#### 5.1.1. Geographic maps

**Table 1 Price List for Geographic Maps**

Description	Price
<b>1:1250 and 1:500 scale mapping</b> in response to “site specific” requests	Free of charge at <a href="http://www.linesearchbeforeudig.co.uk">http://www.linesearchbeforeudig.co.uk</a>
System Overview Map showing NGED 33/66/132 kV Network (single map per NGED DNO area in PDF or hard copy)	Free of charge on our <a href="#">website</a>
Information Map with Distribution Areas and local contacts. (single map per NGED DNO area in PDF or hard copy)	Free of charge
Small Scale Mapping – NGED HV & EHV Network referenced to OS Vector Map District (all 4 NGED DNO areas on a single disk in PDF format).	Free of charge to eligible organisations at <a href="http://www.nationalgrid.co.uk/Partners">http://www.nationalgrid.co.uk/Partners</a> or by registering to access our Planning Data Portal <a href="http://nationalgrid.co.uk/planningdata">http://nationalgrid.co.uk/planningdata</a>

#### 5.1.2. Network data

**Table 2 Price List for Network Data**

Description	Price
Fault Outage Data - 132 kV, 66 kV or 33 kV circuit	Free of charge
Circuit Impedance & Rating - 11 kV Circuits	Free of charge on our <a href="#">Connected Data Portal</a>
11 kV Feeder Load Data - typical winter max and summer min (up to 5 circuits)	Free of charge
Protection Settings (up to 10 circuit breakers)	Free of charge

#### 5.1.3. Plant data

**Table 3 Price List for Plant Data**

Description	Price
Circuit breaker rating – continuous and fault (up to 10 circuit breakers)	Free of charge
132 kV or 33 kV Transformer rating, impedance, tap range and tap step	Free of charge on our <a href="#">Connected Data Portal</a>

#### 5.1.4. Feasibility studies – illustrative costs

Prior to making a formal Application for a Connection Offer you may request we undertake a Feasibility Study to establish the viability of making a connection to our Distribution System. We will carry out preliminary network analysis and provide an indicative connection assessment which will include the results of the network analysis and an outline of the engineering scheme to allow the connection. We will require payment in advance of the study being made and will notify you of the relevant study charges prior to commencing work.

Our charges associated with the provision of Feasibility Studies involving design in advance of a formal Connection Application are set out in the table below. Charges for any other activities, such as excavation works will be individually assessed and agreed with you before these are undertaken. The Minimum Charge will always apply. Additional charges will only be applicable where the Applicant amends their connection requirement which necessitates us to carry out further analysis or assessment.

The Connections Charging Statement is published on our website at <https://connections.nationalgrid.co.uk/connections-charging-statements> and gives the basis of charges and the methodology under which customers will be charged for connection to the distribution network.

**Table 4 Minimum Connection Feasibility Charges by Category**

Category	Minimum Charge £
<b>Demand</b>	
Connection greater than 250 kVA and up to 1 MVA at LV	710
Connection up to 250 kVA at HV	710
Connection greater than 250 kVA and up to 1 MVA at HV	710
Connection greater than 1 MVA and up to 3 MVA at HV	908
Connection greater than 3 MVA and up to 10 MVA at HV	2,119
Connection up to 10 MVA at EHV and at 132kV	3,178
Connection greater than 10 MVA and up to 50 MVA	3,178
Connection greater than 50 MVA	4,237
<b>Generation</b>	
Connection of a Small Scale Embedded Generator	222
Connection of other generation up to 20 kVA not covered by the above at LV	730
Connection of other generation greater than 20 kVA and up to 50 kVA at LV	988
Connection of other generation greater than 50 kVA at LV	1,383
Connection of generation up to 250 kVA at HV	1,580
Connection of generation greater than 250 kVA and up to 1 MVA at HV	1,975
Connection of generation greater than 1 MVA at HV	3,708
Connection of generation up to 10 MVA at EHV and at 132 kV	5,826
Connection of generation greater than 10 MVA and up to 50 MVA at EHV and at 132 kV	5,826
Connection of generation greater than 50 MVA	6,886

**Note**

“LV”, “HV”, or “EHV” in the table previous denotes the highest voltage of assets installed including any associated Reinforcement or diversionary works.

Small Scale Embedded Generation (SSEG) is defined as a source of electrical energy rated up to and including 16 Amperes per phase, single or multi-phase, LV and designed to operate in parallel with our Distribution System.

These charges are based on NGED's direct labour and overhead rates at the time of print. Charges are subject to change. The above Feasibility Study charges are exclusive of VAT which should be added at the prevailing rate.

## **Terms**

The charge for carrying out a Feasibility Study will normally be provided within 10 working days. Following payment and provision of appropriate data, studies will typically require 2 – 10 weeks depending on the complexity of the study work required.

High volume requests may take longer to process and would be priced individually based on the time taken to compile the requested information but would not exceed the rates above.

In the event that enquiries need information from original equipment suppliers e.g., to seek enhanced ratings, reverse power flows, etc., NGED will use its best endeavours to obtain this, but cannot be held responsible for non-provision or delayed provision of information from such third parties. Where such third parties require payment for information, the costs of obtaining it will be advised.

Although all reasonable efforts will be made to ensure the accuracy of data provided, NGED shall have no liability in contract, tort or otherwise, to the enquirer or any other person for any loss or damage resulting from any delay in providing the data or any reliance placed upon it whether or not NGED is proved to have acted negligently.

We reserve the right to exclude information that may be considered confidential to an individual customer.

Cheques should be made payable to National Grid Electricity Distribution (South West) plc.

**All prices above will be subject to VAT at the prevailing rate.**

### 5.1.5. Application Assessment and Design – Illustrative Costs

From 1st May 2018 NGED began charging for expenses occurred during the preparation of connection offers for connections that require work at or above 22 kV. These costs are referred to as Assessment and Design (A&D) Fees.

These fees are now required even if the connection offer is not accepted, and when the scheme is accepted there will be additional costs to secure your connection and to cover immediate costs. If you require any further information, please visit <https://connections.nationalgrid.co.uk/information-hub>.

**Table 5 Illustrative Costs for Application Assessment and Design**

Category	Minimum Charge £	Additional Charge £	Charge at Connection Offer £	Charge at Acceptance £
<b>Demand</b>				
Connection greater than 250 kVA and up to 1 MVA at LV	1,088		0	1,088
Connection up to 250 kVA at HV	1,310		0	1,310
Connection greater than 250 kVA and up to 1 MVA at HV	1,310		1,310	0
Connection greater than 1 MVA and up to 3 MVA at HV	1,794		1,794	0
Connection greater than 3 MVA and up to 10 MVA at HV	3,046		3,046	0
Connection up to 10 MVA at EHV and at 132 kV	4,535		4,53	0
Connection greater than 10 MVA and up to 50 MVA	5,595		5,595	0
Connection greater than 50 MVA	7,614		7,614	0
<b>Generation</b>				
Connection of a single Small Scale Embedded Generator	200	N/A		
Connection of other generation up to 20 kVA not covered by the above at LV	664		0	664
Connection of other generation at LV greater than 20 kVA and up to 50 kVA	1,327		0	1,327
Connection of other generation greater than 50 kVA at LV	1,791		0	1,791

Category	Minimum Charge £	Additional Charge £	Charge at Connection Offer £	Charge at Acceptance £
Connection of generation up to 250 kVA at HV	2,144		0	2,144
Connection of generation greater than 250 kVA and up to 1 MVA at HV	2,408		2,408	0
Connection of generation greater than 1 MVA at HV	3,407		3,407	0
Connection of generation up to 10 MVA at EHV and at 132 kV	6,323		6,323	0
Connection of generation greater than 10 MVA and up to 50 MVA at EHV and at 132 kV	6,820		6,820	0
Connection of generation greater than 50 MVA	9,137		9,137	0

## Note

“LV”, “HV”, or “EHV” in the table previous denotes the highest voltage of assets installed including any associated Reinforcement or diversionary works.

“Small Scale Embedded Generation” is defined as a source of electrical energy rated up to and including 16 Amperes per phase, single or multi-phase, LV and designed to operate in parallel with our Distribution System.

## Payment

You will be contacted by us to confirm receipt of your application. Once we know works at EHV are required we will discuss this with you and follow it up by providing a written notice, normally via email. The notice will confirm that you will be required to pay the A&D Fee.

If we are unsure if your proposed connection will require works at EHV, we will discuss this with you to alert you to the fact. As soon as we know if EHV works are required we will inform you and give you the opportunity to withdraw your application at no cost. If you continue an invoice for A&D fees will be sent once the connection offer is complete and it will be payable in full. Additional charges may be applied in relation to the effect of the proposed connection on the transmission system, owned by National Grid.

If the connection falls within an Active Network Management (ANM) zone you are able to apply for either a Conventional Connection offer or an Alternative Connection offer. If you chose to have both offers you will be charged for the conventional offer as above and a reduced fee for the ANM connection offer which will be based on the work involved in creating the offer.

**All prices above will be subject to VAT at the prevailing rate.**

## 5.2. Attachment 2 – Other Related Information Sources

### 5.2.1. Useful documents and contacts

#### **Ofgem**

Ofgem regulates the electricity and gas markets in Great Britain. Their website includes consultation and decision documents relating to electricity and gas industries.

[www.ofgem.gov.uk](http://www.ofgem.gov.uk)

#### **Distribution Code**

This sets out all the material technical aspects related to connections to and operation of the distribution system. Copies are available from either [Ofgem's](#) or [NGED's](#) website. For queries related to the distribution code contact:

Christian Hjelm  
Network Design Manager  
National Grid Electricity Distribution  
Avonbank  
Feeder Road  
Bristol  
BS2 0TB  
Email: [nged.ltds@nationalgrid.co.uk](mailto:nged.ltds@nationalgrid.co.uk)

#### **National Engineering Recommendations**

A number of National Engineering Recommendations are referenced in the Distribution Code. These are available from the Energy Networks Association.

Energy Networks Association  
4 More  
London Riverside  
London  
SE1 2AU  
Tel: 0204 599 7700  
[www.energynetworks.org](http://www.energynetworks.org)

#### **Distributed Generation Connection Guides**

The ENA also provides Distributed Generation Connection Guides, which can be obtained from [ENA Document Catalogue \(ena-eng.org\)](http://ena-eng.org).

## Guaranteed Standards

Guaranteed Standards of Performance for connections are set out in the Electricity (Standards of Performance) Regulations 2015 and under the direction of Distribution Licence Conditions 15 & 15A. Further information regarding Engineering Recommendations, Distributed Generation and Guaranteed Standards is available from:

Energy Networks Association  
4 More  
London Riverside  
London  
SE1 2AU  
Tel: 0204 599 7700  
Email: [info@energynetworks.org](mailto:info@energynetworks.org)  
[www.energynetworks.org](http://www.energynetworks.org)

## Statement of Methodology and Charges for Connection to National Grid Electricity Distribution (South West) PLC's Electricity Distribution System

The Statement of Methodology and Charges for Connection consists of a Connection Charging Methodology that has been approved by the Gas and Electricity Markets Authority ('the Authority') and a Connection Charging Statement, the form of which has been approved by the Authority. The document also provides other information to explain the options available for obtaining a connection and the processes that must be followed.

The Connection Charging Statement provides the basis of charges for the provision of a connection whilst the Connection Charging Methodology describes the methodology under which Customers will be charged for a connection to NGED.

A copy of the statement is available from the NGED website [National Grid - Charging Statements and Methodology](#).

For queries related to this document please contact:

Kester Jones  
Head of Connections  
National Grid Electricity Distribution  
Herald Way, Pegasus Business Park  
Castle Donington  
DE74 2TU  
Email: [nged.ltds@nationalgrid.co.uk](mailto:nged.ltds@nationalgrid.co.uk)



## Condition 5 Statements

Three statements are produced and updated annually in accordance with Condition 5 of our Licence that cover the following areas:

- i) Charges for the use of the network including a schedule of adjustment factors to be made in respect of distribution losses. This statement also gives a list of demand-constrained zones where restrictions may be applied to the use of certain timeswitch regimes for off peak loads.
- ii) Charges for the connection of new load or generation to the distribution network
- iii) Charges for distribution Metering and Data Services. These include meter provision and meter operation.

Copies of the statements are available from our website [www.nationalgrid.co.uk](http://www.nationalgrid.co.uk). For queries related to these documents please contact:

Kester Jones  
Head of Connections  
National Grid Electricity Distribution  
Herald Way, Pegasus Business Park  
Castle Donington  
DE74 2TU  
Email: [nged.ltds@nationalgrid.co.uk](mailto:nged.ltds@nationalgrid.co.uk)

## Use of System Agreement

Before an Authorised Electricity Operator can use the network to supply connected customers, they need to enter into a Use of System Agreement. Copies of our Use of System Agreement are available from:

Kester Jones  
Head of Connections  
National Grid Electricity Distribution  
Herald Way, Pegasus Business Park  
Castle Donington  
DE74 2TU  
Email: [nged.ltds@nationalgrid.co.uk](mailto:nged.ltds@nationalgrid.co.uk)

## Specifications

Users who require more information on the specifications used for equipment forming part of the distribution network should contact:

Carl Ketley-Lowe  
Engineering Policy Manager  
National Grid Electricity Distribution  
Toll End Road  
Tipton  
DY4 0HH  
Email: [nged.ltds@nationalgrid.co.uk](mailto:nged.ltds@nationalgrid.co.uk)

### 5.2.2. Contact details for other interconnecting networks

**National Grid Electricity Transmission**

NGT House  
Warwick Technology Park  
Gallows Hill  
Warwick  
CV34 6DA

**National Grid Electricity Distribution (West Midlands) plc**

Avonbank  
Feeder Road  
Bristol  
BS2 0TB

**Southern Electric Power Distribution plc**

1 Forbury Place  
43 Forbury Road  
Reading  
RG1 3JH

### 5.3. Attachment 5 – Geographic Network Diagrams

Please see separate file.

